What is claimed is:

- An appliance for administering a reduced pressure treatment to a wound comprising:
- (a) an impermeable cover for covering and enclosing the wound and for maintaining reduced pressure at the site of the wound?
- (b) a seal for searing said cover to tissue surrounding the wound; and
- (c) reduced pressure supply means for connection to a source of suction for supplying said reduced pressure beneath the cover.
- 2. The appliance as recited in claim 1 comprising a screen for preventing overgrowth of wound tissue, said screen being locatable between said wound and said cover.
 - The appliance as recited in claim 2 wherein said screen comprises a porous sheet.

said reduced pressure supply means comprises a screen having an open cell foam and said reduced pressure supply means includes segment of tubing embedded within said screen.

- 5. The appliance as recited in claim 1 wherein said cover is sufficiently rigid to protect the wound from impact and said reduced pressure supply means comprises a suction port on said cover.
- 6. The appliance as recited in claim 5 wherein said seal includes a cuff around the periphery of said cover for preventing said cover from digging into the skin during the treatment.

7. The appliance as recited in claim 1 wherein said seal includes are adhesive material on the cover for securing said cover to the tissue surrounding the wound.

- An apparatus for treating a wound comprising:

 (a) a vacuum system for producing a reduced pressure; and
- (b) a reduced pressure appliance operably connected with said vacuum system for applying said reduced pressure to the wound, the appliance including:
- (i) an impermeable cover for covering and enclosing the wound and for maintaining reduced pressure at the site of the wound;
- (ii) a seal for sealing said cover to tissue surrounding the wound; and
- (iii) reduced pressure supply means for connection with the vacuum system for supplying said reduced pressure to the wound.
- 9. The apparatus as recited in claim 8 wherein said vacuum system includes a collection device for collecting fluid aspirated from the wound.
- 10. The apparatus as recited in claim 9 wherein said collection device includes means for halting said application of reduced pressure to the wound when said fluid exceeds a predetermined quantity.
- 11. The apparatus as recited in claim 8 wherein said reduced pressure is from about 2 in. Hg below atmospheric pressure to about 7 in. Hg below atmospheric pressure.

12. A method of treating a wound comprising the steps of:

(a) applying a reduced pressure to the wound; and

(b) maintaining said reduced pressure until the wound has progressed toward a selected stage of healing.

Sub

13. The method as recited in claim 12 wherein said reduced pressure is from about 2 in. Hg below atmospheric pressure to about 7 in. Hg below atmospheric pressure.

- 14. The method as recited in claim 12 wherein said applying step comprises steps of:
- (a) locating an impermeable cover over the wound, said cover having a suction port;
- (b) sealing the periphery of said impermeable cover to tissue surrounding the wound; and
- (c) operably connecting said suction port with a vacuum system for producing said reduced pressure.

ر طبرکم

15. The method as recited in claim 14 further comprising the step of pracing a porous screen over the wound prior to said locating step.

A method of treating a wound comprising the steps of:

- (a) securing an appliance for applying reduced pressure to the wound; and
- (b) providing reduced pressure to said appliance in alternating intervals of application and non-application.

The method as recited in claim 16 wherein said reduced pressure is from about 2 in. Hg below atmospheric pressure to about 7 in . Hg below atmospheric pressure.

promote attachment of the flap to a wound comprising the step of applying reduced pressure to a region of skin tissue adjacent to the wound prior to detachment of said skin tissue adjacent to the wound to form the flap from said region of skin.

and a's

Car B15